

**TAX LEVIES FOR THE YEAR 2023 PAYABLE 2024, BROWN COUNTY, SOUTH DAKOTA**

**CERTIFIED**

County General..... 3.588  
 TOTAL COUNTY LEVY..... 3.588  
 James River Water Development District..... 0.058

CPI 3.000 NA Factor 0.970  
 Growth 0.01560 AG Factor 0.850  
 3.01560

TOWNSHIP	SCH DIST NUMBER	CO LEVY	CITY/ CIVIL	OPT OUT	SEC RD	SD DIST	FIRE DIST	FD OPT OUT	JAMES RIVER CREEK	MUD	CATTAIL RD	CATTAIL OPT OUT	SCHOOL						TOTAL	
													GEN	OPT OUT	GEN DISC	C.O.	S.E.	S.E. DISC		BOND
Aberdeen AG	20-6-1-F1	3.588	0.293	-	0.500	-	0.374	-	0.058	-	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	10.929
Aberdeen OO	20-6-1-F1	3.588	0.293	-	0.500	-	0.374	-	0.058	-	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	12.687
Aberdeen NA	20-6-1-F1	3.588	0.293	-	0.500	-	0.374	-	0.058	-	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	16.085
Allison AG	4-6-2F6	3.588	0.302	-	-	-	0.262	-	0.058	-	-	-	1.320	0.633	0.001	1.670	0.680	-	-	8.514
Allison OO	4-6-2F6	3.588	0.302	-	-	-	0.262	-	0.058	-	-	-	2.954	1.417	0.002	1.670	0.680	-	-	10.933
Allison NA	4-6-2F6	3.588	0.302	-	-	-	0.262	-	0.058	-	-	-	6.113	2.931	0.005	1.670	0.680	-	-	15.609
Bates AG	44-6-6-F3	3.588	0.613	0.119	-	-	0.150	-	0.058	-	-	-	1.320	-	-	1.649	0.707	-	-	8.204
Bates OO	44-6-6-F3	3.588	0.613	0.119	-	-	0.150	-	0.058	-	-	-	2.954	-	-	1.649	0.707	-	-	9.838
Bates NA	44-6-6-F3	3.588	0.613	0.119	-	-	0.150	-	0.058	-	-	-	6.113	-	-	1.649	0.707	-	-	12.997
Bates AG	44-6-6G-F3	3.588	0.613	0.119	-	-	0.150	-	-	-	-	-	1.320	-	-	1.649	0.707	-	-	8.146
Bates AG	44-6-6B-F3	3.588	0.613	0.119	-	-	0.150	-	0.058	-	-	-	1.320	-	-	1.649	0.707	-	-	8.204
Bates OO	44-6-6B-F3	3.588	0.613	0.119	-	-	0.150	-	0.058	-	-	-	2.954	-	-	1.649	0.707	-	-	9.838
Bates NA	44-6-6B-F3	3.588	0.613	0.119	-	-	0.150	-	0.058	-	-	-	6.113	-	-	1.649	0.707	-	-	12.997
Bath AG	19-6-1-F2	3.588	0.334	0.257	-	-	0.419	-	0.058	-	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	10.772
Bath OO	19-6-1-F2	3.588	0.334	0.257	-	-	0.419	-	0.058	-	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	12.530
Bath NA	19-6-1-F2	3.588	0.334	0.257	-	-	0.419	-	0.058	-	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	15.928
Bath AG	19-6-1BSD-F2	3.588	0.334	0.257	-	-	0.419	-	0.058	-	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	10.772
Bath OO	19-6-1BSD-F2	3.588	0.334	0.257	-	-	0.419	-	0.058	-	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	12.530
Bath NA	19-6-1BSD-F2	3.588	0.334	0.257	-	-	0.419	-	0.058	-	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	15.928
Bath AG	19-6-6B-F2	3.588	0.334	0.257	-	-	0.419	-	0.058	-	-	-	1.320	-	-	1.649	0.707	-	-	8.332
Bath OO	19-6-6B-F2	3.588	0.334	0.257	-	-	0.419	-	0.058	-	-	-	2.954	-	-	1.649	0.707	-	-	9.966
Bath NA	19-6-6B-F2	3.588	0.334	0.257	-	-	0.419	-	0.058	-	-	-	6.113	-	-	1.649	0.707	-	-	13.125
Brainard AG	7-6-2-F5	3.588	0.178	0.519	-	-	0.419	-	0.058	-	-	-	1.320	0.633	0.001	1.670	0.680	-	-	9.066
Brainard OO	7-6-2-F5	3.588	0.178	0.519	-	-	0.419	-	0.058	-	-	-	2.954	1.417	0.002	1.670	0.680	-	-	11.485
Brainard NA	7-6-2-F5	3.588	0.178	0.519	-	-	0.419	-	0.058	-	-	-	6.113	2.931	0.005	1.670	0.680	-	-	16.161
Brainard AG	7-6-2-F6	3.588	0.178	0.519	-	-	0.262	-	0.058	-	-	-	1.320	0.633	0.001	1.670	0.680	-	-	8.909
Brainard OO	7-6-2-F6	3.588	0.178	0.519	-	-	0.262	-	0.058	-	-	-	2.954	1.417	0.002	1.670	0.680	-	-	11.328
Brainard NA	7-6-2-F6	3.588	0.178	0.519	-	-	0.262	-	0.058	-	-	-	6.113	2.931	0.005	1.670	0.680	-	-	16.004
Brainard AG	7-6-2G-F6	3.588	0.178	0.519	-	-	0.262	-	-	-	-	-	1.320	0.633	0.001	1.670	0.680	-	-	8.851
Brainard AG	7-6-6B-F5	3.588	0.178	0.519	-	-	0.419	-	0.058	-	-	-	1.320	-	-	1.649	0.707	-	-	8.438
Brainard OO	7-6-6B-F5	3.588	0.178	0.519	-	-	0.419	-	0.058	-	-	-	2.954	-	-	1.649	0.707	-	-	10.072
Brainard NA	7-6-6B-F5	3.588	0.178	0.519	-	-	0.419	-	0.058	-	-	-	6.113	-	-	1.649	0.707	-	-	13.231
Brainard AG	7-6-45-4-F5	3.588	0.178	0.519	-	-	0.419	-	0.058	-	-	-	1.320	-	-	1.608	0.697	-	-	8.387
Brainard OO	7-6-45-4-F5	3.588	0.178	0.519	-	-	0.419	-	0.058	-	-	-	2.954	-	-	1.608	0.697	-	-	10.021
Brainard NA	7-6-45-4-F5	3.588	0.178	0.519	-	-	0.419	-	0.058	-	-	-	6.113	-	-	1.608	0.697	-	-	13.180
Cambria AG	15-6-1-F5	3.588	0.425	-	-	-	0.419	-	0.058	-	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	10.606
Cambria OO	15-6-1-F5	3.588	0.425	-	-	-	0.419	-	0.058	-	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	12.364
Cambria NA	15-6-1-F5	3.588	0.425	-	-	-	0.419	-	0.058	-	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	15.762
Cambria AG	15-6-6B-F5	3.588	0.425	-	-	-	0.419	-	0.058	-	-	-	1.320	-	-	1.649	0.707	-	-	8.166
Cambria OO	15-6-6B-F5	3.588	0.425	-	-	-	0.419	-	0.058	-	-	-	2.954	-	-	1.649	0.707	-	-	9.800
Cambria NA	15-6-6B-F5	3.588	0.425	-	-	-	0.419	-	0.058	-	-	-	6.113	-	-	1.649	0.707	-	-	12.959
Cambria AG	15-6-6B/GFP	3.588	0.425	-	-	-	0.419	-	-	-	-	-	1.320	-	-	1.649	0.707	-	-	8.108
Carlisle AG	13-6-1-F1	3.588	0.523	-	-	-	0.374	-	0.058	-	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	10.659
Carlisle OO	13-6-1-F1	3.588	0.523	-	-	-	0.374	-	0.058	-	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	12.417
Carlisle NA	13-6-1-F1	3.588	0.523	-	-	-	0.374	-	0.058	-	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	15.815
Carlisle AG	13-6-2-F1	3.588	0.523	-	-	-	0.374	-	0.058	-	-	-	1.320	0.633	0.001	1.670	0.680	-	-	8.847
Carlisle OO	13-6-2-F1	3.588	0.523	-	-	-	0.374	-	0.058	-	-	-	2.954	1.417	0.002	1.670	0.680	-	-	11.266
Carlisle NA	13-6-2-F1	3.588	0.523	-	-	-	0.374	-	0.058	-	-	-	6.113	2.931	0.005	1.670	0.680	-	-	15.942
Claremont AG	10-6-6B-F7	3.588	0.367	-	-	-	0.459	-	0.058	-	-	-	1.320	-	-	1.649	0.707	-	-	8.148
Claremont OO	10-6-6B-F7	3.588	0.367	-	-	-	0.459	-	0.058	-	-	-	2.954	-	-	1.649	0.707	-	-	9.782
Claremont NA	10-6-6B-F7	3.588	0.367	-	-	-	0.459	-	0.058	-	-	-	6.113	-	-	1.649	0.707	-	-	12.941
Claremont AG	10-6-6B-G-F7	3.588	0.367	-	-	-	0.459	-	-	-	-	-	1.320	-	-	1.649	0.707	-	-	8.090
Claremont AG	10-6-45-5-F7	3.588	0.367	-	-	-	0.459	-	0.058	-	-	-	1.320	-	-	1.205	0.941	-	-	8.446
Claremont OO	10-6-45-5-F7	3.588	0.367	-	-	-	0.459	-	0.058	-	-	-	2.954	-	-	1.205	0.941	-	0.508	10.080
Claremont NA	10-6-45-5-F7	3.588	0.367	-	-	-	0.459	-	0.058	-	-	-	6.113	-	-	1.205	0.941	-	0.508	13.239
Columbia AG	11-6-6B-F5	3.588	0.372	-	0.226	-	0.419	-	0.058	-	-	-	1.320	-	-	1.649	0.707	-	-	8.339
Columbia OO	11-6-6B-F5	3.588	0.372	-	0.226	-	0.419	-	0.058	-	-	-	2.954	-	-	1.649	0.707	-	-	9.973
Columbia NA	11-6-6B-F5	3.588	0.372	-	0.226	-	0.419	-	0.058	-	-	-	6.113	-	-	1.649	0.707	-	-	13.132
Columbia AG	11-6-6B-G-F5	3.588	0.372	-	0.226	-	0.419	-	-	-	-	-	1.320	-	-	1.649	0.707	-	-	8.281
East Hanson AG	25-6-6B-F2	3.588	0.470	0.400	-	-	0.419	-	0.058	-	-	-	1.320	-	-	1.649	0.707	-	-	8.611
East Hanson OO	25-6-6B-F2	3.588	0.470	0.400	-	-	0.419	-	0.058	-	-	-	2.954	-	-	1.649	0.707	-	-	10.245
East Hanson NA	25-6-6B-F2	3.588	0.470	0.400	-	-	0.419	-	0.058	-	-	-	6.113	-	-	1.649	0.707	-	-	13.404
East Hanson AG	25-6-6BMC-F2	3.588	0.470	0.400	-	-	0.419	-	0.058	0.234	-	-	1.320	-	-	1.649	0.707	-	-	8.845
East Hanson OO	25-6-6BMC-F2	3.588	0.470	0.400	-	-	0.419	-	0.058	0.234	-	-	2.954	-	-	1.649	0.707	-	-	10.479
East Hanson NA	25-6-6BMC-F2	3.588	0.470	0.400	-	-	0.419	-	0.058	0.234	-	-	6.113	-	-	1.649	0.707	-	-	13.638
East Hanson AG	25-6-6BGMC-F2	3.588	0.470	0.400	-	-	0.419	-	-	0.234	-	-	1.320	-	-	1.649	0.707	-	-	8.787
East Rondell AG	27-6-6BMC	3.588	0.381	0.710	0.500	-	-	-	0.058	0.234	-	-	1.320	-	-	1.649	0.707	-	-	9.147
East Rondell OO	27-6-6BMC	3.588	0.381	0.710	0.500	-	-	-	0.058	0.234	-	-	2.954	-	-	1.649	0.707	-	-	10.781
East Rondell NA	27-6-6BMC	3.588	0.381	0.710	0.500	-	-	-	0.058	0.234	-	-	6.113	-	-	1.649	0.707	-	-	13.940
East Rondell AG	27-6-5	3.588	0.381</																	

TOWNSHIP	SCH DIST NUMBER	CO LEVY	CITY/ CIVIL	OPT OUT	SEC RD	SD DIST	FIRE DIST	JAMES RIVER	MUD CREEK	CATTAIL RD	CATTAIL OPT OUT	GEN	OPT OUT	GEN DISC	C.O.	S.E.	S.E. DISC	BOND	TOTAL
Frederick AG	3-6-2-F6	3.588	0.165	-	-	-	0.262	-	0.058	-	-	1.320	0.633	0.001	1.670	0.680	-	-	8.377
Frederick OO	3-6-2-F6	3.588	0.165	-	-	-	0.262	-	0.058	-	-	2.954	1.417	0.002	1.670	0.680	-	-	10.796
Frederick NA	3-6-2-F6	3.588	0.165	-	-	-	0.262	-	0.058	-	-	6.113	2.931	0.005	1.670	0.680	-	-	15.472
Garden Prairie AG	26-6-6	3.588	0.332	0.919	0.500	-	-	-	0.058	-	-	1.320	-	-	1.649	0.707	-	-	9.073
Garden Prairie OO	26-6-6	3.588	0.332	0.919	0.500	-	-	-	0.058	-	-	2.954	-	-	1.649	0.707	-	-	10.707
Garden Prairie NA	26-6-6	3.588	0.332	0.919	0.500	-	-	-	0.058	-	-	6.113	-	-	1.649	0.707	-	-	13.866
Garden Prairie AG	26-6-6B	3.588	0.332	0.919	0.500	-	-	-	0.058	-	-	1.320	-	-	1.649	0.707	-	-	9.073
Garden Prairie OO	26-6-6B	3.588	0.332	0.919	0.500	-	-	-	0.058	-	-	2.954	-	-	1.649	0.707	-	-	10.707
Garden Prairie NA	26-6-6B	3.588	0.332	0.919	0.500	-	-	-	0.058	-	-	6.113	-	-	1.649	0.707	-	-	13.866
Garden Prairie AG	26-6-6BMC	3.588	0.332	0.919	0.500	-	-	-	0.058	0.234	-	1.320	-	-	1.649	0.707	-	-	9.307
Garden Prairie OO	26-6-6BMC	3.588	0.332	0.919	0.500	-	-	-	0.058	0.234	-	2.954	-	-	1.649	0.707	-	-	10.941
Garden Prairie NA	26-6-6BMC	3.588	0.332	0.919	0.500	-	-	-	0.058	0.234	-	6.113	-	-	1.649	0.707	-	-	14.100
Garden Prairie AG	26-6-56-7	3.588	0.332	0.919	0.500	-	-	-	0.058	-	-	1.320	-	-	1.448	0.255	-	-	8.420
Garden Prairie OO	26-6-56-7	3.588	0.332	0.919	0.500	-	-	-	0.058	-	-	2.954	-	-	1.448	0.255	-	-	10.054
Garden Prairie NA	26-6-56-7	3.588	0.332	0.919	0.500	-	-	-	0.058	-	-	6.113	-	-	1.448	0.255	-	-	13.213
Garden Prairie AG	26-6-56-7MC	3.588	0.332	0.919	0.500	-	-	-	0.058	0.234	-	1.320	-	-	1.448	0.255	-	-	8.654
Garden Prairie OO	26-6-56-7MC	3.588	0.332	0.919	0.500	-	-	-	0.058	0.234	-	2.954	-	-	1.448	0.255	-	-	10.288
Garden Prairie NA	26-6-56-7MC	3.588	0.332	0.919	0.500	-	-	-	0.058	0.234	-	6.113	-	-	1.448	0.255	-	-	13.447
Garland AG	46-6-1-F5	3.588	0.552	0.568	0.500	-	0.419	-	0.058	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	11.801
Garland OO	46-6-1-F5	3.588	0.552	0.568	0.500	-	0.419	-	0.058	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	13.559
Garland NA	46-6-1-F5	3.588	0.552	0.568	0.500	-	0.419	-	0.058	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	16.957
Garland AG	46-6-2-F5	3.588	0.552	0.568	0.500	-	0.419	-	0.058	-	-	1.320	0.633	0.001	1.670	0.680	-	-	9.989
Garland OO	46-6-2-F5	3.588	0.552	0.568	0.500	-	0.419	-	0.058	-	-	2.954	1.417	0.002	1.670	0.680	-	-	12.408
Garland NA	46-6-2-F5	3.588	0.552	0.568	0.500	-	0.419	-	0.058	-	-	6.113	2.931	0.005	1.670	0.680	-	-	17.084
Garland AG	46-6-6B-F5	3.588	0.552	0.568	0.500	-	0.419	-	0.058	-	-	1.320	-	-	1.649	0.707	-	-	9.361
Garland OO	46-6-6B-F5	3.588	0.552	0.568	0.500	-	0.419	-	0.058	-	-	2.954	-	-	1.649	0.707	-	-	10.995
Garland NA	46-6-6B-F5	3.588	0.552	0.568	0.500	-	0.419	-	0.058	-	-	6.113	-	-	1.649	0.707	-	-	14.154
Gem AG	24-6-1	3.588	0.190	0.221	0.220	-	-	-	0.058	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	10.393
Gem OO	24-6-1	3.588	0.190	0.221	0.220	-	-	-	0.058	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	12.151
Gem NA	24-6-1	3.588	0.190	0.221	0.220	-	-	-	0.058	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	15.549
Gem AG	24-6-1MC	3.588	0.190	0.221	0.220	-	-	-	0.058	0.234	-	1.320	-	0.100	2.928	1.374	0.095	0.299	10.627
Gem OO	24-6-1MC	3.588	0.190	0.221	0.220	-	-	-	0.058	0.234	-	2.954	-	0.224	2.928	1.374	0.095	0.299	12.385
Gem NA	24-6-1MC	3.588	0.190	0.221	0.220	-	-	-	0.058	0.234	-	6.113	-	0.463	2.928	1.374	0.095	0.299	15.783
Gem AG	24-6-6B	3.588	0.190	0.221	0.220	-	-	-	0.058	-	-	1.320	-	-	1.649	0.707	-	-	7.953
Gem OO	24-6-6B	3.588	0.190	0.221	0.220	-	-	-	0.058	-	-	2.954	-	-	1.649	0.707	-	-	9.587
Gem NA	24-6-6B	3.588	0.190	0.221	0.220	-	-	-	0.058	-	-	6.113	-	-	1.649	0.707	-	-	12.746
Gem AG	24-6-6BMC	3.588	0.190	0.221	0.220	-	-	-	0.058	0.234	-	1.320	-	-	1.649	0.707	-	-	8.187
Gem OO	24-6-6BMC	3.588	0.190	0.221	0.220	-	-	-	0.058	0.234	-	2.954	-	-	1.649	0.707	-	-	9.821
Gem NA	24-6-6BMC	3.588	0.190	0.221	0.220	-	-	-	0.058	0.234	-	6.113	-	-	1.649	0.707	-	-	12.980
Gem AG	24-6-5	3.588	0.190	0.221	0.220	-	-	-	0.058	-	-	1.320	-	-	2.398	1.134	-	0.389	9.518
Gem OO	24-6-5	3.588	0.190	0.221	0.220	-	-	-	0.058	-	-	2.954	-	-	2.398	1.134	-	0.389	11.152
Gem NA	24-6-5	3.588	0.190	0.221	0.220	-	-	-	0.058	-	-	6.113	-	-	2.398	1.134	-	0.389	14.311
Greenfield AG	2-6-2-F4	3.588	0.342	0.542	0.500	-	0.329	-	0.058	-	-	1.320	0.633	0.001	1.670	0.680	-	-	9.663
Greenfield OO	2-6-2-F4	3.588	0.342	0.542	0.500	-	0.329	-	0.058	-	-	2.954	1.417	0.002	1.670	0.680	-	-	12.082
Greenfield NA	2-6-2-F4	3.588	0.342	0.542	0.500	-	0.329	-	0.058	-	-	6.113	2.931	0.005	1.670	0.680	-	-	16.758
Greenfield AG	2-6-45-4-F4	3.588	0.342	0.542	0.500	-	0.329	-	0.058	-	-	1.320	-	-	1.608	0.697	-	-	8.984
Greenfield OO	2-6-45-4-F4	3.588	0.342	0.542	0.500	-	0.329	-	0.058	-	-	2.954	-	-	1.608	0.697	-	-	10.618
Greenfield NA	2-6-45-4-F4	3.588	0.342	0.542	0.500	-	0.329	-	0.058	-	-	6.113	-	-	1.608	0.697	-	-	13.777
Greenfield AG	2-6-45-4G-F4	3.588	0.342	0.542	0.500	-	0.329	-	-	-	-	1.320	-	-	1.608	0.697	-	-	8.926
Groton AG	17-6-6BMC-F2	3.588	0.555	0.282	-	-	0.419	-	0.058	0.234	-	1.320	-	-	1.649	0.707	-	-	8.812
Groton OO	17-6-6BMC-F2	3.588	0.555	0.282	-	-	0.419	-	0.058	0.234	-	2.954	-	-	1.649	0.707	-	-	10.446
Groton NA	17-6-6BMC-F2	3.588	0.555	0.282	-	-	0.419	-	0.058	0.234	-	6.113	-	-	1.649	0.707	-	-	13.605
Hecla AG	50-6-45-4-F4	3.588	0.485	-	-	-	0.329	-	0.058	-	-	1.320	-	-	1.608	0.697	-	-	8.085
Hecla OO	50-6-45-4-F4	3.588	0.485	-	-	-	0.329	-	0.058	-	-	2.954	-	-	1.608	0.697	-	-	9.719
Hecla NA	50-6-45-4-F4	3.588	0.485	-	-	-	0.329	-	0.058	-	-	6.113	-	-	1.608	0.697	-	-	12.878
Hecla AG	50-6-45-4G-F4	3.588	0.485	-	-	-	0.329	-	-	-	-	1.320	-	-	1.608	0.697	-	-	8.027
Henry AG	18-6-1-F2	3.588	0.608	0.687	-	-	0.419	-	0.058	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	11.476
Henry OO	18-6-1-F2	3.588	0.608	0.687	-	-	0.419	-	0.058	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	13.234
Henry NA	18-6-1-F2	3.588	0.608	0.687	-	-	0.419	-	0.058	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	16.632
Henry AG	18-6-6B-F2	3.588	0.608	0.687	-	-	0.419	-	0.058	-	-	1.320	-	-	1.649	0.707	-	-	9.036
Henry OO	18-6-6B-F2	3.588	0.608	0.687	-	-	0.419	-	0.058	-	-	2.954	-	-	1.649	0.707	-	-	10.670
Henry NA	18-6-6B-F2	3.588	0.608	0.687	-	-	0.419	-	0.058	-	-	6.113	-	-	1.649	0.707	-	-	13.829
Henry AG	18-6-6BMC-F2	3.588	0.608	0.687	-	-	0.419	-	0.058	0.234	-	1.320	-	-	1.649	0.707	-	-	9.270
Henry OO	18-6-6BMC-F2	3.588	0.608	0.687	-	-	0.419	-	0.058	0.234	-	2.954	-	-	1.649	0.707	-	-	10.904
Henry NA	18-6-6BMC-F2	3.588	0.608	0.687	-	-	0.419	-	0.058	0.234	-	6.113	-	-	1.649	0.707	-	-	14.063
Highland AG	35-6-1	3.588	0.556	0.146	-	-	-	-	0.058	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	10.464
Highland OO	35-6-1	3.588	0.556	0.146	-	-	-	-	0.058	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	12.222
Highland NA	35-6-1	3.588	0.556	0.146	-	-	-	-	0.058	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	15.620
Highland AG	35-6-5	3.588	0.556	0.146	-	-	-	-	0.058	-	-	1.320	-	-	2.398	1.134	-	0.389	9.589
Highland OO	35-6-5	3.588	0.556	0.146	-	-	-	-	0.058	-	-	2.954	-	-	2.398	1.134	-	0.389	11.223
Highland NA	35-6-5	3.588	0.556	0.146	-	-	-	-	0.058	-	-	6.113	-	-	2.398	1.134	-	0.389	14.382
Highland AG	35-6-5G	3.588	0.556	0.146	-	-	-	-	-	-	-	1.320	-	-	2.398	1.134	-	0.389	9.531
Lansing AG	5-6-45-4-F4	3.588	0.594	0.158	-	-	0.329	-	0.058	-	-	1.3							

TOWNSHIP	SCH DIST NUMBER	CO LEVY	CITY/ CIVIL	OPT OUT	SEC RD	SD DIST	FIRE DIST	JAMES RIVER	MUD CREEK	CATTAIL RD	CATTAIL OPT OUT	GEN	OPT OUT	GEN DISC	C.O.	S.E.	S.E. DISC	BOND	TOTAL	
Lincoln AG	39-6-1-F1	3.588	0.559	-	-	-	0.374	-	0.058	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	10.695	
Lincoln OO	39-6-1-F1	3.588	0.559	-	-	-	0.374	-	0.058	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	12.453	
Lincoln NA	39-6-1-F1	3.588	0.559	-	-	-	0.374	-	0.058	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	15.851	
Lincoln AG	39-6-1CT-F1	3.588	0.559	-	-	-	0.374	-	0.058	-	0.759	2.150	1.320	-	0.100	2.928	1.374	0.095	0.299	13.604
Lincoln OO	39-6-1CT-F1	3.588	0.559	-	-	-	0.374	-	0.058	-	0.759	2.150	2.954	-	0.224	2.928	1.374	0.095	0.299	15.362
Lincoln NA	39-6-1CT-F1	3.588	0.559	-	-	-	0.374	-	0.058	-	0.759	2.150	6.113	-	0.463	2.928	1.374	0.095	0.299	18.760
Lincoln AG	39-6-1SD-F1	3.588	0.559	-	-	0.412	0.374	-	0.058	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	11.107	
Lincoln OO	39-6-1SD-F1	3.588	0.559	-	-	0.412	0.374	-	0.058	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	12.865	
Lincoln NA	39-6-1SD-F1	3.588	0.559	-	-	0.412	0.374	-	0.058	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	16.263	
Lincoln AG	39-6-2-F1	3.588	0.559	-	-	-	0.374	-	0.058	-	-	1.320	0.633	0.001	1.670	0.680	-	-	8.883	
Lincoln OO	39-6-2-F1	3.588	0.559	-	-	-	0.374	-	0.058	-	-	2.954	1.417	0.002	1.670	0.680	-	-	11.302	
Lincoln NA	39-6-2-F1	3.588	0.559	-	-	-	0.374	-	0.058	-	-	6.113	2.931	0.005	1.670	0.680	-	-	15.978	
Mercier AG	21-6-1-F1	3.588	1.076	-	0.500	-	0.374	-	0.058	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	11.712	
Mercier OO	21-6-1-F1	3.588	1.076	-	0.500	-	0.374	-	0.058	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	13.470	
Mercier NA	21-6-1-F1	3.588	1.076	-	0.500	-	0.374	-	0.058	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	16.868	
New Hope AG	22-6-5	3.588	0.272	-	0.468	-	-	-	0.058	-	-	1.320	-	-	2.398	1.134	-	0.389	9.627	
New Hope OO	22-6-5	3.588	0.272	-	0.468	-	-	-	0.058	-	-	2.954	-	-	2.398	1.134	-	0.389	11.261	
New Hope NA	22-6-5	3.588	0.272	-	0.468	-	-	-	0.058	-	-	6.113	-	-	2.398	1.134	-	0.389	14.420	
New Hope AG	22-6-56-7	3.588	0.272	-	0.468	-	-	-	0.058	-	-	1.320	-	-	1.448	0.255	-	-	7.409	
New Hope OO	22-6-56-7	3.588	0.272	-	0.468	-	-	-	0.058	-	-	2.954	-	-	1.448	0.255	-	-	9.043	
New Hope NA	22-6-56-7	3.588	0.272	-	0.468	-	-	-	0.058	-	-	6.113	-	-	1.448	0.255	-	-	12.202	
North Detroit AG	9-6-45-5-F4	3.588	0.284	-	0.500	-	0.329	-	0.058	-	-	1.320	-	-	1.205	0.941	-	0.508	8.733	
North Detroit OO	9-6-45-5-F4	3.588	0.284	-	0.500	-	0.329	-	0.058	-	-	2.954	-	-	1.205	0.941	-	0.508	10.367	
North Detroit NA	9-6-45-5-F4	3.588	0.284	-	0.500	-	0.329	-	0.058	-	-	6.113	-	-	1.205	0.941	-	0.508	13.526	
North Detroit AG	9-6-45-5G-F4	3.588	0.284	-	0.500	-	0.329	-	-	-	-	1.320	-	-	1.205	0.941	-	0.508	8.675	
North Detroit AG	9-6-45-4-F4	3.588	0.284	-	0.500	-	0.329	-	0.058	-	-	1.320	-	-	1.608	0.697	-	-	8.384	
North Detroit OO	9-6-45-4-F4	3.588	0.284	-	0.500	-	0.329	-	0.058	-	-	2.954	-	-	1.608	0.697	-	-	10.018	
North Detroit NA	9-6-45-4-F4	3.588	0.284	-	0.500	-	0.329	-	0.058	-	-	6.113	-	-	1.608	0.697	-	-	13.177	
North Detroit AG	9-6-45-4G-F4	3.588	0.284	-	0.500	-	0.329	-	-	-	-	1.320	-	-	1.608	0.697	-	-	8.326	
Oneota AG	6-6-2-F6	3.588	0.211	-	-	-	0.262	-	0.058	-	-	1.320	0.633	0.001	1.670	0.680	-	-	8.423	
Oneota OO	6-6-2-F6	3.588	0.211	-	-	-	0.262	-	0.058	-	-	2.954	1.417	0.002	1.670	0.680	-	-	10.842	
Oneota NA	6-6-2-F6	3.588	0.211	-	-	-	0.262	-	0.058	-	-	6.113	2.931	0.005	1.670	0.680	-	-	15.518	
Ordway AG	14-6-1-F5	3.588	0.723	-	-	-	0.419	-	0.058	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	10.904	
Ordway OO	14-6-1-F5	3.588	0.723	-	-	-	0.419	-	0.058	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	12.662	
Ordway NA	14-6-1-F5	3.588	0.723	-	-	-	0.419	-	0.058	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	16.060	
Ordway AG	14-6-2-F5	3.588	0.723	-	-	-	0.419	-	0.058	-	-	1.320	0.633	0.001	1.670	0.680	-	-	9.092	
Ordway OO	14-6-2-F5	3.588	0.723	-	-	-	0.419	-	0.058	-	-	2.954	1.417	0.002	1.670	0.680	-	-	11.511	
Ordway NA	14-6-2-F5	3.588	0.723	-	-	-	0.419	-	0.058	-	-	6.113	2.931	0.005	1.670	0.680	-	-	16.187	
Ordway AG	14-6-6B-F5	3.588	0.723	-	-	-	0.419	-	0.058	-	-	1.320	-	-	1.649	0.707	-	-	8.464	
Ordway OO	14-6-6B-F5	3.588	0.723	-	-	-	0.419	-	0.058	-	-	2.954	-	-	1.649	0.707	-	-	10.098	
Ordway NA	14-6-6B-F5	3.588	0.723	-	-	-	0.419	-	0.058	-	-	6.113	-	-	1.649	0.707	-	-	13.257	
Osceola AG	29-6-2-F6	3.588	0.315	-	-	-	0.262	-	0.058	-	-	1.320	0.633	0.001	1.670	0.680	-	-	8.527	
Osceola OO	29-6-2-F6	3.588	0.315	-	-	-	0.262	-	0.058	-	-	2.954	1.417	0.002	1.670	0.680	-	-	10.946	
Osceola NA	29-6-2-F6	3.588	0.315	-	-	-	0.262	-	0.058	-	-	6.113	2.931	0.005	1.670	0.680	-	-	15.622	
Palmira AG	28-6-2-F6	3.588	0.168	-	-	-	0.262	-	0.058	-	-	1.320	0.633	0.001	1.670	0.680	-	-	8.380	
Palmira OO	28-6-2-F6	3.588	0.168	-	-	-	0.262	-	0.058	-	-	2.954	1.417	0.002	1.670	0.680	-	-	10.799	
Palmira NA	28-6-2-F6	3.588	0.168	-	-	-	0.262	-	0.058	-	-	6.113	2.931	0.005	1.670	0.680	-	-	15.475	
Portage AG	1-6-45-4-F4	3.588	0.451	-	-	-	0.329	-	0.058	-	-	1.320	-	-	1.608	0.697	-	-	8.051	
Portage OO	1-6-45-4-F4	3.588	0.451	-	-	-	0.329	-	0.058	-	-	2.954	-	-	1.608	0.697	-	-	9.685	
Portage NA	1-6-45-4-F4	3.588	0.451	-	-	-	0.329	-	0.058	-	-	6.113	-	-	1.608	0.697	-	-	12.844	
Prairiewood AG	53-6-1-F1	3.588	2.763	-	0.500	0.199	0.374	-	0.058	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	13.598	
Prairiewood OO	53-6-1-F1	3.588	2.763	-	0.500	0.199	0.374	-	0.058	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	15.356	
Prairiewood NA	53-6-1-F1	3.588	2.763	-	0.500	0.199	0.374	-	0.058	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	18.754	
Putney AG	48-6-6B-F2	3.588	0.745	-	-	-	0.419	-	0.058	-	-	1.320	-	-	1.649	0.707	-	-	8.486	
Putney OO	48-6-6B-F2	3.588	0.745	-	-	-	0.419	-	0.058	-	-	2.954	-	-	1.649	0.707	-	-	10.120	
Putney NA	48-6-6B-F2	3.588	0.745	-	-	-	0.419	-	0.058	-	-	6.113	-	-	1.649	0.707	-	-	13.279	
Putney AG	48-6-6BMC-F2	3.588	0.745	-	-	-	0.419	-	0.058	0.234	-	1.320	-	-	1.649	0.707	-	-	8.720	
Putney OO	48-6-6BMC-F2	3.588	0.745	-	-	-	0.419	-	0.058	0.234	-	2.954	-	-	1.649	0.707	-	-	10.354	
Putney NA	48-6-6BMC-F2	3.588	0.745	-	-	-	0.419	-	0.058	0.234	-	6.113	-	-	1.649	0.707	-	-	13.513	
Putney AG	48-6-6B-G-F2	3.588	0.745	-	-	-	0.419	-	-	-	-	1.320	-	-	1.649	0.707	-	-	8.428	
Putney NA	48-6-6B-G-F2	3.588	0.745	-	-	-	0.419	-	-	-	-	6.113	-	-	1.649	0.707	-	-	13.221	
Ravinia AG	34-6-1-F1	3.588	0.249	-	-	-	0.374	-	0.058	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	10.385	
Ravinia OO	34-6-1-F1	3.588	0.249	-	-	-	0.374	-	0.058	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	12.143	
Ravinia NA	34-6-1-F1	3.588	0.249	-	-	-	0.374	-	0.058	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	15.541	
Ravinia AG	34-6-1SD-F1	3.588	0.249	-	-	0.412	0.374	-	0.058	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	10.797	
Ravinia OO	34-6-1SD-F1	3.588	0.249	-	-	0.412	0.374	-	0.058	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	12.555	
Ravinia NA	34-6-1SD-F1	3.588	0.249	-	-	0.412	0.374	-	0.058	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	15.953	
Richland AG	37-6-2-F6	3.588	0.354	0.332	-	-	0.262	-	0.058	-	-	1.320	0.633	0.001	1.670	0.680	-	-	8.898	
Richland OO	37-6-2-F6	3.588	0.354	0.332	-	-	0.262	-	0.058	-	-	2.954	1.417	0.002	1.670	0.680	-	-	11.317	
Richland NA	37-6-2-F6	3.588	0.354	0.332	-	-	0.262	-	0.058	-	-	6.113	2.931	0.005	1.670	0.680	-	-	15.993	
Riverside AG	16-6-6BMC-F2	3.588	0.423	-	-	-	0.419	-	0.058	0.234	-	1.320	-	-	1.649	0.707	-	-	8.398	
Riverside OO	16-6-6BMC-F2	3.588	0.423	-	-	-	0.419	-	0.058	0.234	-	2.954	-	-	1.649	0.707	-	-	10.032	
Riverside NA	16-6-6BMC-F2	3.588	0.423	-	-	-	0.419	-												

TOWNSHIP	SCH DIST NUMBER	CO LEVY	CITY/ CIVIL	OPT OUT	SEC RD	SD DIST	FIRE DIST	JAMES RIVER	MUD CREEK	CATTAIL RD	CATTAIL OPT OUT	GEN	OPT OUT	GEN DISC	C.O.	S.E.	S.E. DISC	BOND	TOTAL
Shelby AG	8-6-45-5-F7	3.588	0.530	-	-	-	0.459	-	0.058	-	-	1.320	-	-	1.205	0.941	-	0.508	8.609
Shelby OO	8-6-45-5-F7	3.588	0.530	-	-	-	0.459	-	0.058	-	-	2.954	-	-	1.205	0.941	-	0.508	10.243
Shelby NA	8-6-45-5-F7	3.588	0.530	-	-	-	0.459	-	0.058	-	-	6.113	-	-	1.205	0.941	-	0.508	13.402
Shelby AG	8-6-45-4-F4	3.588	0.530	-	-	-	0.329	-	0.058	-	-	1.320	-	-	1.608	0.697	-	-	8.130
Shelby OO	8-6-45-4-F4	3.588	0.530	-	-	-	0.329	-	0.058	-	-	2.954	-	-	1.608	0.697	-	-	9.764
Shelby NA	8-6-45-4-F4	3.588	0.530	-	-	-	0.329	-	0.058	-	-	6.113	-	-	1.608	0.697	-	-	12.923
South Detroit AG	59-6-6B-F7	3.588	0.244	0.518	-	-	0.459	-	0.058	-	-	1.320	-	-	1.649	0.707	-	-	8.543
South Detroit OO	59-6-6B-F7	3.588	0.244	0.518	-	-	0.459	-	0.058	-	-	2.954	-	-	1.649	0.707	-	-	10.177
South Detroit NA	59-6-6B-F7	3.588	0.244	0.518	-	-	0.459	-	0.058	-	-	6.113	-	-	1.649	0.707	-	-	13.336
South Detroit AG	59-6-6B-G-F7	3.588	0.244	0.518	-	-	0.459	-	-	-	-	1.320	-	-	1.649	0.707	-	-	8.485
South Detroit AG	59-6-45-5-F7	3.588	0.244	0.518	-	-	0.459	-	0.058	-	-	1.320	-	-	1.205	0.941	-	0.508	8.841
South Detroit OO	59-6-45-5-F7	3.588	0.244	0.518	-	-	0.459	-	0.058	-	-	2.954	-	-	1.205	0.941	-	0.508	10.475
South Detroit NA	59-6-45-5-F7	3.588	0.244	0.518	-	-	0.459	-	0.058	-	-	6.113	-	-	1.205	0.941	-	0.508	13.634
South Detroit AG	59-6-45-4-F7	3.588	0.244	0.518	-	-	0.459	-	0.058	-	-	1.320	-	-	1.608	0.697	-	-	8.492
South Detroit OO	59-6-45-4-F7	3.588	0.244	0.518	-	-	0.459	-	0.058	-	-	2.954	-	-	1.608	0.697	-	-	10.126
South Detroit NA	59-6-45-4-F7	3.588	0.244	0.518	-	-	0.459	-	0.058	-	-	6.113	-	-	1.608	0.697	-	-	13.285
Warner AG	23-6-1	3.588	0.287	0.850	-	-	-	-	0.058	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	10.899
Warner OO	23-6-1	3.588	0.287	0.850	-	-	-	-	0.058	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	12.657
Warner NA	23-6-1	3.588	0.287	0.850	-	-	-	-	0.058	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	16.055
Warner AG	23-6-5	3.588	0.287	0.850	-	-	-	-	0.058	-	-	1.320	-	-	2.398	1.134	-	0.389	10.024
Warner OO	23-6-5	3.588	0.287	0.850	-	-	-	-	0.058	-	-	2.954	-	-	2.398	1.134	-	0.389	11.658
Warner NA	23-6-5	3.588	0.287	0.850	-	-	-	-	0.058	-	-	6.113	-	-	2.398	1.134	-	0.389	14.817
Warner AG	23-6-56-7	3.588	0.287	0.850	-	-	-	-	0.058	-	-	1.320	-	-	1.448	0.255	-	-	7.806
Warner OO	23-6-56-7	3.588	0.287	0.850	-	-	-	-	0.058	-	-	2.954	-	-	1.448	0.255	-	-	9.440
Warner NA	23-6-56-7	3.588	0.287	0.850	-	-	-	-	0.058	-	-	6.113	-	-	1.448	0.255	-	-	12.599
West Hanson AG	49-6-1MC-F2	3.588	0.372	-	0.500	-	0.419	-	0.058	0.234	-	1.320	-	0.100	2.928	1.374	0.095	0.299	11.287
West Hanson OO	49-6-1MC-F2	3.588	0.372	-	0.500	-	0.419	-	0.058	0.234	-	2.954	-	0.224	2.928	1.374	0.095	0.299	13.045
West Hanson NA	49-6-1MC-F2	3.588	0.372	-	0.500	-	0.419	-	0.058	0.234	-	6.113	-	0.463	2.928	1.374	0.095	0.299	16.443
West Hanson AG	49-6-6B-F2	3.588	0.372	-	0.500	-	0.419	-	0.058	-	-	1.320	-	-	1.649	0.707	-	-	8.613
West Hanson OO	49-6-6B-F2	3.588	0.372	-	0.500	-	0.419	-	0.058	-	-	2.954	-	-	1.649	0.707	-	-	10.247
West Hanson NA	49-6-6B-F2	3.588	0.372	-	0.500	-	0.419	-	0.058	-	-	6.113	-	-	1.649	0.707	-	-	13.406
West Hanson AG	49-6-6BMC-F2	3.588	0.372	-	0.500	-	0.419	-	0.058	0.234	-	1.320	-	-	1.649	0.707	-	-	8.847
West Hanson OO	49-6-6BMC-F2	3.588	0.372	-	0.500	-	0.419	-	0.058	0.234	-	2.954	-	-	1.649	0.707	-	-	10.481
West Hanson NA	49-6-6BMC-F2	3.588	0.372	-	0.500	-	0.419	-	0.058	0.234	-	6.113	-	-	1.649	0.707	-	-	13.640
West Rondell AG	57-6-1	3.588	0.181	0.313	0.500	-	-	-	0.058	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	10.756
West Rondell OO	57-6-1	3.588	0.181	0.313	0.500	-	-	-	0.058	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	12.514
West Rondell NA	57-6-1	3.588	0.181	0.313	0.500	-	-	-	0.058	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	15.912
West Rondell AG	57-6-5	3.588	0.181	0.313	0.500	-	-	-	0.058	-	-	1.320	-	-	2.398	1.134	-	0.389	9.881
West Rondell OO	57-6-5	3.588	0.181	0.313	0.500	-	-	-	0.058	-	-	2.954	-	-	2.398	1.134	-	0.389	11.515
West Rondell NA	57-6-5	3.588	0.181	0.313	0.500	-	-	-	0.058	-	-	6.113	-	-	2.398	1.134	-	0.389	14.674
Westport AG	12-6-1-F5	3.588	0.342	-	-	-	0.419	-	0.058	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	10.523
Westport OO	12-6-1-F5	3.588	0.342	-	-	-	0.419	-	0.058	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	12.281
Westport NA	12-6-1-F5	3.588	0.342	-	-	-	0.419	-	0.058	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	15.679
Westport AG	12-6-2-F5	3.588	0.342	-	-	-	0.419	-	0.058	-	-	1.320	0.633	0.001	1.670	0.680	-	-	8.711
Westport OO	12-6-2-F5	3.588	0.342	-	-	-	0.419	-	0.058	-	-	2.954	1.417	0.002	1.670	0.680	-	-	11.130
Westport NA	12-6-2-F5	3.588	0.342	-	-	-	0.419	-	0.058	-	-	6.113	2.931	0.005	1.670	0.680	-	-	15.806

**SCHOOL**

CITIES	SCH DIST NUMBER	CO LEVY	CITY/ CIVIL	OPT OUT	SEC RD	SD DIST	FIRE DIST	JAMES RIVER	MUD CREEK	CATTAIL RD	CATTAIL OPT OUT	GEN	OPT OUT	GEN DISC	C.O.	S.E.	S.E. DISC	BOND	TOTAL
Aberdeen City AG	32-6-1	3.588	5.527	-	-	-	-	-	0.058	-	-	1.320	-	0.100	2.928	1.374	0.095	0.299	15.289
Aberdeen City OO	32-6-1	3.588	5.527	-	-	-	-	-	0.058	-	-	2.954	-	0.224	2.928	1.374	0.095	0.299	17.047
Aberdeen City NA	32-6-1	3.588	5.527	-	-	-	-	-	0.058	-	-	6.113	-	0.463	2.928	1.374	0.095	0.299	20.445
Claremont City AG	42-6-45-5-F7	3.588	16.628	-	-	-	0.459	-	0.058	-	-	1.320	-	-	1.205	0.941	-	0.508	24.707
Claremont City OO	42-6-45-5-F7	3.588	16.628	-	-	-	0.459	-	0.058	-	-	2.954	-	-	1.205	0.941	-	0.508	26.341
Claremont City NA	42-6-45-5-F7	3.588	16.628	-	-	-	0.459	-	0.058	-	-	6.113	-	-	1.205	0.941	-	0.508	29.500
Columbia City AG	43-6-6B-F5	3.588	7.709	-	-	-	0.419	-	0.058	-	-	1.320	-	-	1.649	0.707	-	-	15.450
Columbia City OO	43-6-6B-F5	3.588	7.709	-	-	-	0.419	-	0.058	-	-	2.954	-	-	1.649	0.707	-	-	17.084
Columbia City NA	43-6-6B-F5	3.588	7.709	-	-	-	0.419	-	0.058	-	-	6.113	-	-	1.649	0.707	-	-	20.243
Frederick City AG	38-6-2-F6	3.588	12.451	-	-	-	0.262	-	0.058	-	-	1.320	0.633	0.001	1.670	0.680	-	-	20.663
Frederick City OO	38-6-2-F6	3.588	12.451	-	-	-	0.262	-	0.058	-	-	2.954	1.417	0.002	1.670	0.680	-	-	23.082
Frederick City NA	38-6-2-F6	3.588	12.451	-	-	-	0.262	-	0.058	-	-	6.113	2.931	0.005	1.670	0.680	-	-	27.758
Frederick City R AG	38R-6-2-F6	3.588	0.165	-	-	-	0.262	-	0.058	-	-	1.320	0.633	0.001	1.670	0.680	-	-	8.377
Frederick City R OO	38R-6-2-F6	3.588	0.165	-	-	-	0.262	-	0.058	-	-	2.954	1.417	0.002	1.670	0.680	-	-	10.796
Frederick City R NA	38R-6-2-F6	3.588	0.165	-	-	-	0.262	-	0.058	-	-	6.113	2.931	0.005	1.670	0.680	-	-	15.472
Groton City AG	33-6-6B-F2	3.588	5.016	2.113	-	-	0.419	-	0.058	-	-	1.320	-	-	1.649	0.707	-	-	14.870
Groton City OO	33-6-6B-F2	3.588	5.016	2.113	-	-	0.419	-	0.058	-	-	2.954	-	-	1.649	0.707	-	-	16.504
Groton City NA	33-6-6B-F2	3.588	5.016	2.113	-	-	0.419	-	0.058	-	-	6.113	-	-	1.649	0.707	-	-	19.663
Hecla City AG	40-6-45-4-F4	3.588	19.113	-	-	-	0.329	-	0.058	-	-	1.320	-	-	1.608	0.697	-	-	26.713
Hecla City OO	40-6-45-4-F4	3.588	19.113	-	-	-	0.329	-	0.058	-	-	2.954	-	-	1.608	0.697	-	-	28.347
Hecla City NA	40-6-45-4-F4	3.588	19.113	-	-	-	0.329	-	0.058	-	-	6.113	-	-	1.608	0.697	-	-	31.506
Stratford City AG	45-6-5	3.588	12.302	-	-	-	-	-	0.058	-	-	1.320	-	-	2.398	1.134	-	0.389	21.189
Stratford City OO	45-6-5	3.588	12.302	-	-	-	-	-	0.058	-	-	2.954	-	-	2.398	1.134	-	0.389	22.823
Stratford City NA	45-6-5	3.588	12.302	-	-	-	-	-	0.058	-	-	6.113	-	-	2.398	1.134	-	0.389	25.982
Verdon Village AG	41-6-6-F3	3.588	-	-	-	-	0.150	-	0.058	-	-	1.320	-	-	1.649	0.707	-	-	7.472
Verdon Village OO	41-6-6-F3	3.588	-	-	-	-	0.150	-	0.058	-	-	2.954	-	-	1.6				